Approved For Release 2003/03/28: CIA-RDP78T05161A001300010001-4

25X1

MAGERY

ANALYSIS

PHOTOGRAPHIC INTELLIGENCE REPORT

MITAL RECERDS COPY

STATUS OF NORTH VIETNAMESE RAILROADS

DECLASS REVIEW by NIMA/DOD

REPORT NO. 23 CIA/PIR 75078

DATE JAN. 1967

GROUP 1 Excluded from automatic downgrading and declassification SECRET

Approved For Release 2003/03/28 : CIA-RDP78T05161A001300010001-4

BEST COPY Available THROUGHOUT FOLDER

Approved For Release 2003/03/28: CIA-RDP78T05161A001300010001-4

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Rele	ase 2003/03/38 CRET RDP78T05161A	.001300010001-4
]
	CIA IMAGERY ANALYSIS DIVISION	PIR 75078

PREFACE


This report summarizes significant items of photo intelligence relating to the North Vietnamese railroad system which has been developed from available photography (received by the CIA Imagery Analysis Division) during the period indicated on the cover. This report is intended to provide a comprehensive view of the railroad system and does not necessarily reflect the most recent status changes as reported by pilots' reports or field photo intelligence cables.

The railroad system has been broken down into 5 major lines: the Hanoi/Lao Cai Line, the Hanoi/Dong Dang Line, the Hanoi/Haiphong Line, the Hanoi/Dong Hoi Line, and the Thai Nguyen Line (Figure I). Annotated maps and photos are used to show the status of each line.

-1-



PIR 75078 **25X1** FIGURE 1



SECRET

Annequed For Deleges	2003/03/ ፪ሬ: ፫ ፍሬ፡፡፡ RDP78T05161A001300010001-4
Approved For Release	2003/03/ EGE/TOMENT DP/0103101A001300010001-4

25X1

CIA IMAGERY ANALYSIS DIVISION


PIR 75078


SUMMARY

One bridge interdiction was observed on the Hanoi/Dong Hoi Rail Line. Those portions of the Hanoi/Lao Cai and Hanoi/Dong Dang Rail Lines covered by interpretable photography were open to through traffic. Probable standard gauge associated construction activity is underway in the vicinity of Yen Vien on the Hanoi/Dong Dang Rail Line.

CONTENTS

Hanoi/Lao Cai Rail Line	Page	4
Hanoi/Dong Dang Rail Line	_	6
Hanoi/Dong Hoi Rail Line		9
Hanoi/Haiphong Rail Line		16
Thai Nguyen Rail Line		17





Approved For Release 2003/03/**ር** የርተ-RDP78T05161A001300010001-4

CIA IMAGERY ANALYSIS DIVISION	PIR 75078

ITEM OF INTEREST NO. 1: Hanoi/Lao Cai Rail Line

NAME

: Yen Bay Railroad Yard

ΒE

25X1

COORDINATES

: 21 42N - 104 53E, VJ 880996

PHOTO REFERENCES

25X1


25X1

25X1


MAP REFERENCES

: JOG (A) 1501, NF 48-10

The Yen Bay Railroad Yard (has been heavily damaged subsequent to 7 November 1966 (Report No. 21). The previously reported damage has been repaired and the damaged and destroyed rolling stock has been removed. Current damage includes the cratering of a large portion of the yard and interrupted through service; however, the choke points are intact. Two probable locomotives and 2 gondola cars have been damaged, and at least 3 gondola cras have been destroyed. Seven gondola cars, 1 box car, and 1 probable flat car are undamaged.



-5-



	CIA IMAGERY ANALYSIS DIVIS	ПОП	PIR 75078	}
				_
ITEM OF INTEREST NO.	1: Hanoi/Dong Dang Rail	l Line		<u>_</u>
NAME	: Construction Activit	ty		
BE	: NA			
COORDINATES	: 21 05N - 105 55E, W	J 959321	1	
PHOTO REFERENCES				25X1
MAP REFERENCES	: JOG (A) 1501, NF 48.	-11		
DOCUMENTS	: CIA Cable Cite CIA/	IAD 9513, DTG PO	62213Z, January 19	967 , ,
has been noted (see tractors are probabl construction activi- of a new turning wye	road related construction Report No. 22). At least ty collecting fill in an easy. The fill is apparent approximately 0.4 nm no	t 2 towed scrape area of previous ly being used in rtheast of the l	ers/pans with sly unidentified the construction Yen Vien Railroad	
has been noted (see tractors are probable construction activi- of a new turning wyo Classification Yard	Report No. 22). At leas Ly collecting fill in an Ly. The fill is apparent approximately 0.4 nm no	t 2 towed scrape area of previous ly being used in rtheast of the Y arison of the raan existing meter gure 6) is shown	ers/pans with sly unidentified the construction Yen Vien Railroad adii of curvature er gauge turning	
has been noted (see tractors are probable construction activition of a new turning wyo Classification Yard of this turning wye wye at the northern	Report No. 22). At leastly collecting fill in an analy. The fill is apparent approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 7). RADII OF CURVATURE	t 2 towed scrape area of previous ly being used in rtheast of the Y arison of the raan existing meter gure 6) is shown	ers/pans with sly unidentified the construction Yen Vien Railroad adii of curvature er gauge turning	
has been noted (see tractors are probable construction activition of a new turning wyo Classification Yard of this turning wye wye at the northern table: Minimum Allowable	Report No. 22). At leastly collecting fill in an experiment of approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no (Figure 5) approximately 0.4	t 2 towed scrape area of previous ly being used in rtheast of the harison of the raan existing meter gure 6) is shown	ers/pans with sly unidentified the construction and the construction and the view Railroad adii of curvature er gauge turning in the following the Minimum Allowable	
has been noted (see tractors are probable construction activition of a new turning was classification Yard of this turning way was at the northern table: Minimum Allowable (meter gauge) The large radic conjunction with the presence of prounder construction	Report No. 22). At leastly collecting fill in an approximately 1 apparent approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no Comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) approximately 0.4 nm no A comp (Figure	t 2 towed scrape area of previous ly being used in rtheast of the Marison of the raan existing meter gure 6) is shown. E Curning Wye U/C 20' (approx.) Thing wye under con an adjacent Madjacent probability indicates the extended from	ers/pans with ally unidentified the construction of the resilies and the construction of the results of the curvature of gauge turning in the following the following the following the following the following the following the resilies of	e
has been noted (see tractors are probable construction activition of a new turning was classification Yard of this turning way was at the northern table: Minimum Allowable (meter gauge) The large radic conjunction with the presence of prounder construction	Report No. 22). At leastly collecting fill in an analysis of the fill is apparent approximately 0.4 nm no approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) with that of and of the rail yard (Figure 5) with that of end of the rail yard (Figure 5) with that of end of the rail yard (Figure 5) with that of end of the rail yard (Figure 5) with that of end of the turning Wye To approximately approximately strate in an (see Report No. 22) strong and and gauge) track will	t 2 towed scrape area of previous ly being used in rtheast of the Marison of the raan existing meter gure 6) is shown. E Curning Wye U/C 20' (approx.) Thing wye under con an adjacent Madjacent probability indicates the extended from	ers/pans with ally unidentified the construction of the resilies and the construction of the results of the curvature of gauge turning in the following the following the following the following the following the following the resilies of	e
has been noted (see tractors are probable construction activition of a new turning was classification Yard of this turning way was at the northern table: Minimum Allowable (meter gauge) The large radic conjunction with the presence of prounder construction	Report No. 22). At leastly collecting fill in an analysis of the fill is apparent approximately 0.4 nm no approximately 0.4 nm no A comp (Figure 5) with that of end of the rail yard (Figure 5) with that of and of the rail yard (Figure 5) with that of end of the rail yard (Figure 5) with that of end of the rail yard (Figure 5) with that of end of the rail yard (Figure 5) with that of end of the turning Wye To approximately approximately strate in an (see Report No. 22) strong and and gauge) track will	t 2 towed scrape area of previous ly being used in rtheast of the Marison of the raan existing meter gure 6) is shown. E Curning Wye U/C 20' (approx.) Thing wye under con an adjacent Madjacent probability indicates the extended from	ers/pans with ally unidentified the construction of the resilies and the construction of the results of the curvature of gauge turning in the following the following the following the following the following the following the resilies of	e


25X1


25X1


-7-SECRET

CIA IMAGERY ANALYSIS DIVISION


PIR 75078







Approved For Release 2003/03/28 : CIA-RDP78T05161A001300010001-4



Approved For Release 2003/03/28 - CIA-RDP78T05161A001300010001-4

25X1

CIA IMAGERY ANALYSIS DIVISION

PIR 75078

25X1

ITEM OF INTEREST NO. 1: Hanoi/Dong Hoi Rail Line

NAME

: Track Dismantling

BE

: NA

COORDINATES


: 18 4LN - 105 4LE, WF 716665

PHOTO REFERENCES

MAP REFERENCES

: JOG (A) 1501, NE 48-7

All of the rail and some of the ties have been removed from the turning wye 2 nm (approx.) north of Vinh. This observation may indicate that the North Vietnamese have cannibalized this turning wye.



-10-

SECRET

Approved For Release 2003/03**&5**C**R**EA-RDP78T05161A001300010001-4

CIA IMAGERY ANALYSIS DIVISION

PIR 75078

25X1

ITEM OF INTEREST NO. 2: Hanoi/Dong Hoi Rail Line

NAME

: Tam Da RR. and Hwy. Bridge

BE

25X1

•

COORDINATES

: 18 50N - 105 59E, WF 691839


PHOTO REFERENCES

:

MAP REFERENCES

JOG (A) 1501, NE 48-7

The multi-span, deck-beam Tam Da Railroad and Highway Bridge has been repaired and is serviceable to through traffic. Construction continues on a multi-span, probable wood deck-beam by-pass bridge approximately 3,100' south of the main bridge.



Approved For Release 2003/03 & (R-A-RDP78T05161A001300010001-4

25X1

CIA IMAGERY ANALYSIS DIVISION

PIR 75078

25X1

ITEM OF INTEREST NO. 3: Hanoi/Dong Hoi Rail Line

NAME

: Rolling Stock

BE

: NA

COORDINATES

: 19 50N - 105 47E, WG 829931


PHOTO REFERENCES

: |

MAP REFERENCES

: JOG (A) 1501, NE 48-3

Seven box cars, 1 probable gondola car and 1 locomotive are noted on the Hanoi/Dong Hoi Rail Line 0.6 nm southwest of the serviceable Thanh Hoa Railroad and Highway Bridge This indicates that this section of the rail line is serviceable and is presently being utilized.



Approved For Release 2003/03 CREA-RDP78T05161A001300010001-4

CIA IMAGERY ANALYSIS DIVISION

PIR 75078

25X1

25X1

ITEM OF INTEREST NO. 4: Hanoi/Dong Hoi Rail Line

NAME

: Yen Xa RR. and Hwy. Bridge

BE

:

COORDINATES

: 20 02N - 105 51E, WH 888665

PHOTO REFERENCES

: |

MAP REFERENCES

JOG (A) 1501, NF 48-15

The unserviceable single span, half-through truss Yen Xa Railroad and Highway Bridge has been replaced by a deck-beam span. The replacement bridge is now serviceable to rail traffic only.



-13-

Approved For Release 2003/03 A-RDP78T05161A001300010001-4

CIA IMAGERY ANALYSIS DIVISION

PIR 75078

ITEM OF INTEREST NO. 5: Hanoi/Dong Hoi Rail Line

NAME

: Railroad By-pass Construction Activity

BE

: NA

COORDINATES

: 20 58N - 105 52E

PHOTO REFERENCES


:

MAP REFERENCES

: JOG (A) 1501, NF 48-15, Series L701, Sheet 6173-I


Two small deck-type bridges at UTM WJ 891190 and WJ 903194 on the southern segment of the railroad by-pass around Hanoi have been completed (Figures 13 and 14). These bridges were reported under construction in Report No. 19. Rail has been laid on the by-pass roadbed from its junction with the Hanoi/Dong Hoi Rail Line at UTM WJ 877189 (Figure 12) almost to the westernmost bridge (Figure 13), a distance of 0.7 nm (approx.). Ballast/ties and some completed track have been laid on the 0.9 nm segment between the 2 bridges.


Twelve gondola cars (including 3 not shown on the photo) loaded with probable ballast are observed on the newly completed segment (Figure 12) adjacent to its junction with the Hanoi/Dong Hoi Rail Line.



CIA IMAGERY ANALYSIS DIVISION


PIR 75078





-15-

PIR 75078 FIGURE 15



KEY

★ Main bridge bombed - now serviceable. ★ By-pass bridge or bridges serviceable. Main bridge unserviceable. All bridge crossing facilities unserviceable. ▲ By-pass bridge under construction.

SECRET

Approved For Release 2003/03/28 : CIA-RDP78T05161A001300010001-4


KEY

PIR 75078 FIGURE 16

All Maps within this report have been keyed in the following manner:

- ★ Main bridge bombed now serviceable.
- * By-pass bridge or bridges serviceable.
- Main bridge unserviceable
- All bridge crossing facilities unserviceable.
- By-pass bridge under construction.
- Original bridge has not been damaged or destroyed based on available photography.
- Extent of rail line covered by available, interpretable photography.
- Item of interest. Turn to the item number within the section for further information

All intelligence developed within the reporting period is printed in red; older intelligence is printed in black



				
Approved For Rel	ease 2003 /32 /2	RA-R DP78T051	61A00130001	0001-4
			_	
				*

Approved For Release 2003/5328 CIA-RDP78T05161A001300010001-4

25X